P.09

JUL 1 1 2007

Patent

Attorney Docket No. 1034284-000003

IN THE UNITED STATES PATENT AND TRADEMÄRK OFFICE

In re Patent Application of	MAIL STOP AF
Ignacio Blanco Blanco	Group Art Unit: 1652
Application No.: 10/549,759) Examiner: ROSANNE KOSSON
Filed: September 19, 2005) Confirmation No.: 6945
For: USE OF ALPHA-1 ANTITRYPSIN FOR THE PREPARATION OF MEDICAMENTS FOR THE TREATMENT OF FIBROMYALGIA) } }

DECLARATION OF IGNACIO BLANCO BLANCO UNDER § 1.132

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

- I. Ignacio Blanco Blanco, hereby declare as follows:
- I am a citizen of Spain, and reside at Oviedo, Spain. 1.
- My education and professional history are outlined in my attached 2. curriculum vitáe (Attachment A).
- I am the sole inventor in the referenced application, and submit this Declaration in support thereof.
- Attached hereto are print-outs dated March 22, 2007 from the Alpha 4. One International Registry (AIR) (see Attachment B). (The attached print-outs are from the Spanish AATD Registry, which is a corresponding national registry of the AIR. The AIR International Registry is not accessible as doctor users have access only to their corresponding national registry.)
- The printed information discloses the information in the Registry 5. relating to the two patients referred to in the cited Blanco reference (two sisters, designated here as patients 205 and 206). The Registry information relating to those

Buchanan Ingersoll & Rooney rc

Patent
Application No.. <u>10/549,759</u>
Attorney's Docket No. <u>1034284-000003</u>
Page 2

two patients is confidential information that is not publicly available, even to those with general access to the Registry. Rather, it is accessible only by the registering doctor. Specifically, the information is available only to the doctor who has registered the particular patients, and the Registry requires that the doctor provide a confidential user name and access code (or key code). The confidential listings are available only to the accessing doctor, and only when such confidential and personal information has been entered.

- 6. As can be seen in attachment C, the Registry information made available to Dr. Blanco, even after entering his confidential user name and key code, includes only that corresponding to his nine patients. The information pertaining to those patients includes the following: registry number, release date, patient initials, date of birth, sex, pulmonary function (Fev1 Post (Basal)), FVC Post Basal, substitutive treatment (yes or no), and whether monitoring is performed.
- 7. The accessing doctor may consult the data of his/her patients by clicking the Registry number and accessing a new page containing demographic and clinical data. See Attachments D & E (files with the data of the two sister patients with alpha-1 antitrypsin deficiency, patient numbers 205 and 206, in Spanish with translations attached).
- 8. The Registries record only the data appearing in the presented database fields. Thus, in Dr. Blanco's patients, the only data having been reported are those shown in the database. Any additional information, e.g., that regarding the effect of substitutive treatment for AAT Deficiency or use of AAT for other conditions such as fibromyalgia, has never been reported and thus is not accessible from the Registry. The information presented within the Registry relates only to the treatment

Patent
Application No.. <u>10/549,759</u>
Attorney's Docket No. <u>1034284-000003</u>
Page 3

of congenital AAT deficiency. There is no field for the entry of Information relating to other maladies such as fibromyalgia, and no such information has been introduced. Accordingly, there is nothing within the Registry - whether public or private - that relates to the incidence or possible treatment of fibromyalgia in those patients.

- 9. Although it has been stated that the patients have received substitutive treatment, the nature of that treatment and its results were never entered into the Registry, nor was that information publicly available.
- Europe: Alpha One International Registry (AIR) Objectives and Development", *Eur Respir J* (2007) 29:582-586 (Attachment F). This reference discusses generally the development and objectives of the Alpha One International Registry in response to the recommendation of the World Health Organization. The reference describes the protocol of handling of information, emphasizes confidentiality of that information and patient characteristics, and focuses primarily on the geographic distribution of the various forms of Alpha One Trypsin Deficiency. As stated in the reference, the information provided is carefully controlled. Additionally, there is no mention of the disclosure of substitutive treatment, nor is there any suggestion that the use of substitutive treatment for other, unrelated conditions, is even entered into the system or publicly accessible. This confirms that information such as is relied upon in the referenced application was not included in the AIR registry, and was not publicly available.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false

Patent
Application No.. <u>10/549,759</u>
Attorney's Docket No. <u>1034284-000003</u>
Page 4

statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date: 29 / 06 / 2007 By:

Ignacio Blanco Blanco

ATTACHMENT A



Name: Ignacio BLANCO BLANCO

Citizenship: Spanish Date of birth: 05/23/1944 Identity No: 11 338 723-E

Address: C/ Comandante Caballero 10, 1º A, 33005

Oviedo, Asturias, Spain Phone No: +34 985 252481

E-mail: Ignacio.blanco@sespa.princast.es

PRESENT POSITION (from 12/31/1977)

Head of the Section of Respiratory Diseases, Department of Internal Medicine, Hospital Valle del Nalón (Polígono de Riaño s/n, 33920, Langreo, Asturias, Spain, Tel.:+34 985 652000, Fax: +34 985 652006)

PREVIOUS POSITIONS:

Institution	Date	Position held
Departament of Internal Medicine, Hospital Virgen de la Arrixaca, Murcia, Spain	06/04/1976- 12/30/1977	Head of the Section of Respiratory Diseases, Department of Internal Medicine
Department of Respiratory Diseases, National Institute of Silicosis, Oviedo, Spain	1976	Head of the Section of Respiratory Diseases
Department of Respiratory Diseases, National Institute of Silicosis, Oviedo, Spain	1971-1975	Associate MD
Department of Internal Medicine, Hospital General de Asturias, Oviedo, Spain	1967-1971	Trainee, MD
Medical School, University of Valladolid, Spain	1961-1967	MD

ċ

- CURRICULUM VITAE -Updated 06/24/2007

DIS	TIN	CTI	ON	12.
	T TT		~ .	1 LJ +

05/24/2007	Member of the Programa de Intensificación de la Actividad Investigadora de Facultativos de Atención Especializada (i.e. intensive research programme for medical specialists), Health Institute Carlos III, Spanish Ministry of Health and Consumption								
2001-present	Treasurer and Member of the Permanent Board of the Official Medical Association of Asturias, Spain								
1996-present	Founding Member of ASTURPAR (i.e. Society of Respiratory Diseases in Asturias, Spain)								
1995-present	Member of the European Respiratory Society (ERS)								
1993-present	Advisor for the Expert Committee of the Spanish Registry of Alpha- 1 Antitrypsin Deficiency (AATD) patients								
1973-present	Full Member of SEPAR (i.e. Spanish Society of Respiratory Diseases)								
2002-2004	Member of the Expert Committee of the International Consortium (Spain-USA-South America) for the research on Alpha-1 Antitrypsin Deficiency (AATD)								
1982-1988	Assistant Professor for practical training, Medical School, University of Oviedo, Asturias								
1978-1982	Member of the Spanish Evaluation Technical Commission for Coal								
1976-1978	Associate Professor of Medical Pathology, Medical School, University of Murcia								
1976-1978	Full Member of the International Union Against Tuberculosis (IUT)								
CONTRIBUTION AS	Name								

SCIENTIFIC AWARDS:

2007	ASTURPAR Award on Scientific Research, Best publication on Alpha-1 Antitrypsin Deficiency (AATD)
2005	ASTURPAR Award on Scientific Research, Best presentation on COPD
2004	ASTURPAR Award on Scientific Research, Best publication on Alpha-1 Antitrypsin Deficiency (AATD)
	V Award on Scientific Research of the Hospital Valle del Nalón, Asturias, Spain, Best publication on Alpha-1 Antitrypsin Deficiency (AATD)
2003	IV Award on Scientific Research of the Hospital Valle del Nalón, Asturias, Spain, Best poster on Alpha-1 Antitrypsin Deficiency (AATD)
2002	ASTURPAR Award on Scientific Research, Best publication Alpha-1 Antitrypsin Deficiency (AATD)

ر.

- CURRICULUM VITAE -

Updated 06/24/2007

2001	Award on Scientific Research of the Hospital Valle del Nalón, Asturias,
	Spain, Alpha-1 Antitrypsin Deficiency (AATD)
1993	V García Cosio Award on Scientific Research of the National Institute of Silicosis, Oviedo, Spain, Best research on Alpha-1 Antitrypsin Deficiency (AATD) in Asturias
1985	I Award in Scientific Research of the Hospital Cabueñes, Gijón, Asturias, Best bronchial asthma publication together with Mario Argüelles Toraño, MD

PUBLICATIONS (1970-2007):

- 1. Janciauskiene S, Stevens T, Blanco I. New insights into the biology of α1-antitrypsin and its role in chronic obstructive lung diseases. Current Respiratory Medicine Reviews 2007; 3(2): 147-158
- 2. Blanco I, FJ de Serres, S Janciauskiene, D. Arbesú, EF. Bustillo, V. Cárcaba, I Nita, A Astudillo. Estimates of the prevalence and number of fibromyalgia syndrome patients and their Alpha-1-aantitrypsin phenotypic distribution in ten countries. *Journal of Musculoskeletal Pain* 2007; Volume 15, 000-000 (at press)
- 3. Blanco I, Arbesú D., Al Kassam D; de Serres F; Fernández-Bustillo E, Rodriguez Menéndez C. Alphal-antitrypsin polymorphism in fibromyalgia patients from the Asturias Province in Northern Spain: A significantly higher prevalence of the PI*Z deficiency allele in patients than in the general population. Journal of Musculoskeletal Pain 2006 14 (3):5-12
- 4. de Serres, Blanco I, Bustillo EF. Estimating the risk for alpha-1 antitrypsin deficiency among COPD patients: evidency supporting targeted screening. *COPD: International Journal of COOPD*, 2006.;3(3):133-9
- 5. Blanco I, Janciauskiene S, Astudillo A, Domínguez F, Bustillo EF, Nita I. Chapter 1 (pag: 1-37): Fibromyalgia and alpha-1 antritrypsin. New research in Fibromyalgia. Nova Science Publisher, INC., New York. 2006
- 6. Normativa SEPAR N. 43: Normativa sobre el diagnóstico y tratamiento del deficit de alfa-1-antitripsina. [Article in Spanish] Vidal R, Blanco I, Casas F, Jardi R, Miravitlles M. Ediciones Doyma, Barcelona, 2006
- 7. Vidal R, Blanco I, Casas F, Jardi R, Miravitlles M; Committee on the National Registry of Individuals with Alpha-I Antitrypsin Deficiency. [Guidelines for the diagnosis and management of alpha-1 antitrypsin deficiency][Article in Spanish] Arch Bronconeumol. 2006;42(12):645-659
- 8. I Blanco, de Serres F, Fernandez-Bustillo E, Lara B, Miravitlles M. Estimated numbers and prevalence of PI*S and PI*Z alleles of al-antitrypsin deficiency in European countries. European Respiratory Journal 2006; 27 (1): 77-84

- de Serres J, Luisetti M, Ferrarotti I, Blanco I, Fernández-Bustillo E. Implications of regional differences in the distribution of the PIS and PIZ deficiency alleles on diagnosis and management of alpha-1 antitrypsin deficiency in Italy. Monaldi Archives of Chest Diseases 2005; 63 (3): 133-141
- 10. de Serres, F.J., I. Blanco, E.F. Bustillo. Health implications of alphal-antitrypsin deficiency in Sub-Sahara African countries and their emigrants in Europe and the New World. Genetics in Medicine. 2005;7(3):175-84
- 11. Gavahami S, Hashemi M, Shahriari HA, Bajestani SN, de Serres F, Moghaddam EM, Kamezi M, Alavian SM, Taheri M, Blanco I, Fernández-Bustillo E. Alpha-1-antitrypsin phenotypes and HLA-B27 typing in uveitis patients in southeast Iran. Clin Biochem. 2005;38(5):425-32
- 12. Blanco I, FJ de Serres, E F-Bustillo, D Al Kassam, D Arbesú; C Rodríguez, J.C. Torre. Alpha 1-Antitrypsin and fibromyalgia: new data in favour of the inflammatory hypothesis of fibromyalgia. Medical Hypotheses (Oxford) 2005; 64: 759-769
- 13. I.Blanco, E F-Bustillo, F.J. de Serres; D. Alkassam; C. Rodríguez. Déficit de alfa-1 antitripsina en España (variantes deficientes PI*S y PI*Z): prevalencia estimada y número de sujetos deficientes calculados para cada fenotipo. [Article in Spanish] *Medicina Clinica (Barc)* 2004;123(20):761-765
- 14. I.Blanco, H. Canto, F.J. de Serres, E-F Bustillo, MC Rodríguez. Alpha-1 Antitrypsin replacement therapy controls fibromyalgia symptoms in 2 patients with PI ZZ Alpha-1 Antitrypsin deficiency. *The Journal of Rheumatoly* 2004: 31 (10): 2082-2085
- 15. de Serres, F.J., I. Blanco, E.F. Bustillo (2003) Genetic Epidemiology of Alpha-1 Antitrypsin Deficiency in Australia, Canada, New Zealand, and the United States of America. *Clinical Genetics* 2003; 64: 1-16
- 16. de Serres, F.J., I. Blanco, E.F. Bustillo (2003) Genetic Epidemiology of Alpha-1 Antitrypsin Deficiency in Southern Europe: France, Italy, Portugal, and Spain. Clinical Genetics 2003; 63: 1818-1829
- 17. Blanco I, EF Bustillo, MC Rodríguez. Distribution of al-antitrypsin PI S and PI Z frequencies in countries outside Europe: a meta-analysis. *Clinical Genetics* 2001; 60: 431-44
- 18. Blanco I, E Fernández, EF Bustillo. Alpha-1-antitrypsin PI phenotypes S and Z in Europe: an analysis of the published surveys. Clinical Genetics 2001; 60: 31-41
- 19. Blauco I, E Fernández, al-antitrypsin Pi phenotypes S and Z in Spain: an analysis of the published surveys. Respiratory Medicine 2001; 95: 109-114

- 20. Blanco I, E Fernández, MC Rodríguez, A Fernández.. Frecuencias alélicas del gen de la alfa-1 antitripsina en la población general de una comarca de Asturias. [Article in Spanish] Med Clin (Barc) 1999; 133: 366-370
- 21. Blanco I, H Canto, F Carro. Normativa SEPAR de EPOC: propuesta de cambio de la clasificación. [Article in Spanish] Arch Bronconeumol 1998; 34: 409-410
- 22. Blanco I, Sala Blanco J, Canto Argiz H, Carro del Camino F. Gorostidi Pérez J. Pleurodesis con sangre autóloga: resultados en una serie de 17 casos con más de un año de seguimiento. [Article in Spanish] Rev Clin Esp 1997; 197: 406-410
- 23. Blanco I, Canto H., Carro F., Fuentes J., Sala J. Pleurodesis con sangre del propio paciente: resultados iniciales en 14 casos. [Article in Spanish] Arch Bronconeumol 1996; 32: 230-236
- 24. Antuña AS, Marrón MG, Garcia JM, Martinez MA, Sánchez A, Blanco I.. Amiloidosis traqueobronquial localizada. Utilidad de la tomografía computarizada. [Article in Spanish] Arch. Bronconeumol 1995; 31:540-542
- 25. Blanco I, H Canto, F Carro. Bronquiectasias en pacientes con déficit severo de alfa-1 antitripsina: ¿una asociación frecuente?. [Article in Spanish] Arch Bronconeumol 1994; 29: 473
- 26. Carro F, Blanco I. Granulomatosis pulmonar por talco y celulosa en un paciente VIH-positivo, con hemoptisis e infiltrado pulmonar unilateral, adicto a fármacos orales por vía endovenosa. [Article in Spanish] Arch Bronconeumol 1993; 29:297-299
- 27. Blanco I, Miranda J, Motto A., Bustillo EF et al. Contribución de la tomografía axial computerizada al estudio la neumoconiosis de los mineros del carbón en estadíos precoces. [Article in Spanish] Arch Bronconeumol 1993; 29: 274-280
- 28. Blanco I, ML Menéndez, F Carro. Bronquiectasias extensas como manifestación única de déficit de alfa-1 antitripsina. [Article in Spanish] Arch Bronconeumol 1992; 28: 253
- 29. Blanco I, F Carro, H Canto. Carcinoma bronquial y renal simultáneos. [Article in Spanish] Arch Bronconeumol 1991;27: 386
- 30. Argüelles M, I Blanco. Inflammatory bronchial polyps associated with asthma. *Arch Intern Medicine* 1983; 143:570-571
- 31. Blanco I, L. Palenciano. Influencia de la broncofibroscopia en los gases en sangre arterial. [Article in Spanish] Arch Bronconeumol 1976; 12: 76-78
- 32. Arroyo F, Marin R, Blanco I, Fernández J. Melanoma maligno de coroides, ginecomastia y nódulo mamario metastásico. [Article in Spanish] Rev Clin Esp 1970; 119:153-156

JOURNAL REFEREE:

- Stroke
- Clinical Genetics
- Collegium Antropollogicum
- European Respiratory Journal
- Journal of Pharmaceutical and Biomedical Analysis
- Archivum Immunologiae et Therapiae Experimentalis
- Iranian Journal of Biotechnology
- The Journal of Musculoskeletal Pain
- Respiratory Medicine

GRANTS AND RESEARCH PROJECTS:

10/17/2006. Grant, Programa de Promoción de la Investigación Biomédica y en Ciencias de la Salud (i.e State programme for the promotion of biomedical and health scientific research), Health Institute Carlos III, Spanish Ministry of Health and Consumption, main researcher in the project PI061798: Estudio de las isoformas de la alfa-1-antitripsina, citocinas proinflamatorias, metaloproteasas y marcadores de estrés oxidadtivo en el músculo de pacientes con fibromialgia (Study of Alpha-1 Antitrypsin isoforms, proinflammatory cytokines, metalloproteases and oxidative stress biomarkers in the muscle of Fibromyalgia patients)

2004-present: Collaborator in the development of the *Proyecto IDDEA* for the identification and diagnosis of Alpha-1 Antitrypsin Deficiency (AATD). National Screening Programme for Alpha-1 Antitrypsin Deficiency in COPD patients, based on the determination of the Alpha-1 Antitrypsin (AAT) genotype in the Central Laboratory of the Spanish AAT Registry (Hospital Vall d'Hebron, Barcelona).

2001-2007. Epidemiological study carried out together with Frederick DE SERRES, PhD (National Institute of Environmental Health Sciences, Research Triangle Park, Chapel Hill, North Carolina, USA). Frequency, prevalence and number estimation of Alpha-1 Antitrypsin Deficiency subjects (S and Z alleles) worldwide. Results, published in aforementioned publications (21.-25.), have been obtained for Europe, Northern America, Australia and New Zealand, Sub-Saharan Africa and Asia.

ATTACHMENT B

11 6 15 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16

REGISTRO ESPAÑOL DE PAGIENTES CON DEPICIT DE ALFA-1 ANTITRIPSINA

ACCESO AL REG	ISTAC:
Usuaric	
Clave	
· Solicitar claves	Entrat ->

El desarrollo de esta aplicación ha sido posible gracias a la colaboración de Q.F BAYER, una beca del área de IRTS de la SEPAR y una beca (FIS:02/10003) del Fondo de Investigaciones Sanitarias (FISS).

15.00

PRESENTACIÓN

PUBLICACIONES

ENLACES DE INTERÉS

INFORMACIÓN PROYECTO IDDEA

REDAAT

CONTACTAR

FUNDACIÓN DEL REGISTRO ESPAÑOL DEL DAAT

Debido a la escasa prevalencia del DAAT, surgió la necesidad de acumular información derivada del estudio de grupos de pacientes con esta enfermedad. El Registro Español de pacientes con DAAT se fundó el 13.04.1993, pero debido al pequeño número de pacientes que se esperaba reclutar, no nado con el objetivo de ser una alternativa a los ensayos dinicos para conocer la eficacia del tratamiento, sino que el propósito inicial del Registro fue:

OBJETIVOS DEL REGISTRO

- 1. Conocer las características y la frecuencia del DAAT en España.
- 2. Establecer normativas adaptadas a nuestro país sobre el tratamiento y seguimiento de pacientes con el déficit.
- 3. Ofrecer información a los médicos que traten a estos pacientes en toda España.
- 4. Incrementar el conocimiento y el interés por esta "no tan ram" enfermedad e intentar disminuir el infradiagnóstico e el retraso en el conocimiento del DAAT.
- 5. Recoger información acerca de la evolución fundonal, la frecuencia del tratamiento sustitutivo y la posible aparición de efectos adversos con este tratamiento.
- 6. Offecer soporte técnico para la determinación del fenotipo PI y si es necesario del genotipo en aquellos individuos con sospecha de DAAT.

ORGANIZACION DEL REGISTRO

Desde su origen, el Registro es un grupo de trabajo del Área IRTS (Insuficiencia Respiratoria y Trastomos de Sueño) de la SEPAR (Sociedad Española de Neumología y Cirugia Torácica). Lo componen dos coordinadores, un Comité Asesor y 64 centros participantes distribuidos por toda España y Andorra

La base de datos se encuentra en el centro coordinador, en el que también existe el laboratorio central que ofrece la posibilidad de determinar el fenotipo PI y en casos especiales el genotipo mediante secuenciación del DNA.

El Comité Asesor se reúne periódicamente para evaluar y analizar la evolución de la base de datos del Registro y actualizar las normativas referentes al tratamiento sustitutivo con AAT y el seguimiento de los pacientes.

Coordinadores:

Marc Miravittles . Servicio de Neumología, Hospital Clínic i Provincial de Barcelona.

Rafael Vidal. Servicio de Neumologia, Hospital General Vall d'Hebron. Barcelona

Comité asesor:

Juan Carlos Barros-Tizón, Vigo

Ignacio Blanco, Langreo

Ana Bustamante, Torrelavega

Francisco Casas, Granada

Carlos Escudero. Oviedo

Pedro P. España, Galdakao

Malte Martinez. Madrid

Gestión del registro español

Beatriz Lara. Barcelona

mhtml:file://C:\Documents and Settings\Ignacio\Mis documentos\AIR Pagina de inici... 22/03/2007

P.22

Laboratorio central del registro Rosendo Jardi y Francisco Rodríguez-Frias. Servicio de Bioquímica, Hospital General Vall d'Hebron.

BURNS DOANE

mhtml:file://C:\Documents and Settings\Ignacio\Mis documentos\AIR Pagina de inici... 22/03/2007

SPANISH REGISTRY OF PATIENTS WITH ALFA-1 ANTITRYPSIN DEFICIENCY

REGISTRY ACCESS					
User					
Key					
Asking for key	Log in				

FOUNDING OF THE SPANISH REGISTRY OF AATD

Owing to the scarce prevalence of AATD, the necessity arose to accumulate information derived from studying groups of patients with this condition. The Spanish Registry of patients with AATD was founded on 13.04.1993, however, owing to the small number of patients that were to be recruited, it was not set up with the objective of being an alternative to clinical trials in order to discover the effectiveness of the treatment. Instead, the initial aim of the Registry was:

OBJECTIVES OF THE REGISTRY

- 1. To discover the characteristics and frequency of AATD in Spain.
- 2. To establish rules adapted to our country on the treatment and follow-up of patients with this deficit.
- 3. To offer information to doctors who treat these patients in Spain.
- 4. To widen the knowledge and interest in this condition (which is not so rare) and try to reduce the infradiagnosis of or delays in recognising AATD.
- 5. To collect information on the functional evolution, the frequency of alternative treatments or the possible appearance of side affects with this treatment.
- 6. To offer technical support for determining the Pi phenotype and if necessary the genotype of those individuals suspected of having AATD.

ORGANISATION OF THE REGISTRY

From the outset, the Registry is a working group in the IRTS (Insufficient Respiratory and Sleep Disorder) Area of SEPAR (Spanish Society of Pneumology and Thoracic Surgery). It comprises of two coordinators, an Advisory Committee and 64 participating centres distributed through Spain and Andorra.

The database can be found in the coordinating centre, where the central laboratory is also located, which offers the possibility of determining the Pi phenotype and, in special cases, the genotype by means of DNA sequencing.

The Advisory Committee meets regularly in order to evaluate and analyse the evolution of the Registry's database and update the rules in reference to alternative treatment with AAT and patient follow-up.

Coordinators:

Advisory Committee:

Management of the Spanish registry:

Registry's Central Laboratory:

ATTACHMENT C

•	<u>(47)</u>			Ç.	registro Dn defic) ESP.	ANGL ALFA-	1 ANT	ITRIPSINA			<u>-</u>
□ P.	EGISTRO DE ACXENTRS I Registrar nuevo Inciente	een kentet segulmiente			gulmiento s	emestr	al. Por	favor,	cumplimente	los dat	os del	formulario d
. Si	Listado de pacientes	Nº registro	Eacha ultu	Toiclaics	Nacimiento	Sevo	Fevi Post	FVC Post	Tratamiento	Perdido	Exitus	Segulmiento
	t gistra	MA LEGISTIA	L OFINE BICE		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(Basal)		sustitutivo			
. E	studios en faão do			<u> </u>			(Basal)	(Basal)	sustitutivo Si			Fundler.ta
. E	studios en fallé de enlitación a desarrolló	205	D4/02/2002	EAF	12/06/1951	Mujer	2.00		3024,1101,14			
. Ei ri Di Pi	studios en fast de culización o desarrolló ublicaciones	205 206	D4/02/2002 D4/02/2002	EAF RAF	12/06/1951			(Basal) 2,36	51			Punderta
· Ei ri	studios en fallé de enlitación a desarrolló	205 206 207	D4/02/2002 D4/02/2002 D4/02/2002	EAF	12/06/1951	Mujer Mujer	2.0ô 3,4D	(Basal) 2,36 2,30	51			Pendlenta Pendlenta
· Fi	studios en fast de culización o desarrolló ublicaciones	205 206 207 215	04/02/2002 04/02/2002 04/02/2002 05/02/2003	EAF RAF CFG	12/06/1951 12/04/1947 14/06/1935	Mujer Mujer Mujer	2.08 3,40 3,80	(Basal) 2,36 2,30 2,20	Si Si			Pendlenta Pendlenta Pendletta
	studios en fast de sultàción o desarrolló ublicaciones reguntaf Ablartas rejastina	205 206 202 215 215	04/02/2002 04/02/2002 04/02/2002 05/02/2002 05/02/2002	EAF RAF CFG AAG	12/06/1951 12/04/1947 14/06/1935 01/01/1941	Mujer Mujer Mujer Hombre	2,00 3,40 3,60 2,60	(Basal) 2,36 2,30 2,20 4,10	Si Si			Pendlenta Pendlenta Pendletta
	studios en fisãa de cultización o decarrolló ublicaciones roguntas ablartas rolastina vypsona	205 206 202 215 216 212	04/02/2002 04/02/2002 04/02/2002 05/02/2002 05/02/2002 05/02/2002	EAF RAF CFG AAG	12/06/1951 12/04/1947 14/06/1935 01/01/1941 24/08/1940	Mujer Mujer Mujer Hombre Hujer	2.00 3.40 3.60 2,60 2,40	(Basal) 2,36 2,30 2,20 4,10 2,80	Si Si			Fundlenta Pendlenta Pandlenta Pandlenta Pandlenta
	studios en fast de sultàción o desarrolló ublicaciones reguntaf Ablartas rejastina	205 206 202 215 215	04/02/2002 04/02/2002 04/02/2002 05/02/2002 05/02/2002	EAF RAF CFG AAG HPG 3CGC	12/06/1951 12/04/1947 14/06/1935 01/01/1941 24/08/1940 22/12/1940	Mujer Mujer Hujer Hombre Mujer	2.00 3.40 3.60 2,60 2,40 0,80	(Basal) 2,36 2,30 2,20 4,10 2,80 2,30	Si Si		g	Fundlenta Pendlenta Pandlenta Pandlenta Pandlenta

	Follow-up						
	Exitus						
	Lost						
> √	Alternative treatment						
SPANISH REGISTRY OF PATIENTS WITH ALFA-1 ANTITRYPSIN DEFICIENCY	FVC Post (Basal)			ļ			
TRY OF	Feví Post (Basa)				-	· · · · · · · · · · · · · · · · · · ·	
SPANISH REGISTRY OF PATIENTS TH ALKA-1 ANTITRYPSIN DEFICIEN	Sex						
SPA)	Date of birth						
· .	Initials			,			
	Release date						
	Registration No.	202	206	707			

ATTACHMENT D

	registro e Con deficit	SPAÑOL DE PACIENTES DE ALFA-1 ANTITRIPSINA	(III)
REGISTRO DE			T.
PACTENTES	MODIFICAR DATOS DE PACIEN	re	
() Registrar nucyo pacienta			
D Listado de			
pacientes	Ver seguimientos ^o		
O Situación actual del Registro	Nuevo seguimiento "		
Estudios en fasé de O realización o	TVA CT S S S S S S S S S S S S S S S S S S		
desarrollo Desarrollo	Por favor, siga las siguientes reglas para	la introducción de datos:	
O Proguntas ablantas	Utilice el signo PUNTO para indic	ar decimales: (Ej.: 34.203)	
() Prolastina	Indique las fechas siempre con el	formato dd/mm/aaaa: (Ej: 23/02/2001)	
☐ Trypsone	1		
O Envios de muestra	PACIENTE Nº: 205 INICIALES PACIENTE: EAF	•	
C 4445 55 95 95 95 95 95 95 95 95 95 95 95 95		as de Inclusión: 04/02/2002	
O SALIR DEL REGISTRO >>	DEMOGRAPÍA		
	Fecha de nacimiento:	Sexo: Fermale	
	12/06/1951 dd/mm/aaaa	Peso (kg);	
	Altura: Unidades de altura: 148 Cm	58 kilos	
	TABAQUISHO		
	Fumó biguna vez? No · ¹:	Edad de Inicio:	ត្តភិពន
1	Dejó de fumar?	Edad en que dejó de fumar	años
	Consumo medio de cigarrillos diarios:		•
	Consumo medio de cigarros diarios:		
	Pipa - g/semana:		
	MOTIVO DE LA DETERMINACIÓN DE AAT		
	Motivo para determinación de AAT:	Family screening	
	Fenotipo: Z	·	
	Otro fenotipo deficiente:	•	
	Fecha del diagnóstico del déficit AAT:	15/01/1994	€€88\mm\bb
	HISTORIA CLÍNICA		
	Enfermedad Yes -		
	Bronquitis No - crónice :	•	
	Enfisema: Y9S		
	Asma: Yes		
	Bronquiectasias: Y66 '		
	Otra enfermedad No pulmonar ?	Especificar:	
	Edad al inicio de los sintomas resolvatorios	Años: 40 Meses:	
	Sintome Dyspnoea on exertion principal	n ·	

otros diagnósti	cos No			
	ibromlatgia ret	ımática		
ICD código diagnóstico 1:	. :	ver Tebla de códigos	1CD versión:	
Diagnóstico 2:				
ICD código diagnóstico 2:		<u>Ver Tabla de códigos</u>	ICD versión:	•
Diagnóstico 3:	,		'	
ICD código diagnóstico 3:		ver Tabla de códigos	ICD versión:	•
Trasplante de pulmón:	£ 4,		Fecha del trasplante de pulmón:	dd/mm/s588
Reducción de volumen pulmonar:	.•		Fecha de reducción de volumen pulmonar:	dd/mm/a888
Tresplante de higado:	₹*		Feche del tresplante de higado:	dd/mm/saaa
Ha sufrido neumonia67	•			
En caso afirmativo, ¿Cuántas veces?:			Número desconocida	•
DATOS TC				12/05/1994
TC del tórax :	No - '		Fecha del TC de tôrex:	dd/mm/aeaa
TRATAMIENTO A				
Medicación para la enfermedad pulmonar:	Yes ·		Oxigenoterapia domiciliaria:	No .
TRATAMIENTO S	USTITUTIVO			40.074005
Alguna vez ha recibido tratamiento sustitutivo?	Yes		Fecha de Inicio :	10/07/1995 dd/mm/ebaa
Dejó el tratamiento?	No		Pecha de Interrupción:	66/mm/bb
FUNCTONALISM	O PULMONAR			
Fecha de las primeras pruebas disponibles:	10/07/1994	esss/mm/pp		
FEV1 pre- broncodilatedor (L):	. 2	iltros	FEV1 post-broncodilatador (L):	2 litros
FVC pre- broncodlistados (L):	2,36	litros	FVC post-broncodilatedor (L):	2,36 litros
VC lents pre- broncodiletados (L):	r 2,37	litros	VC lenta post-proncodilatador (L):	2,37 htros
Fecha de las pruebas más recientes	10/12/2001	dd/mm/saes		
FEV1 pre- broncodileteda (L):	r 1,9	•	FEVI post-broncodilatador :	1,9 Iltros
FVC pre- broncodilatado (L):	or 2		FVC post-broncodiletedor :	2 litros
VC lenta pre- broncodilatedo (L):	or 2.	Iltros	VC lenta post-proncodilatador	2 Itros
XCO (%):	*	%		
ENZIHAS HEP	LTTCAS			
Enzimas hepáticos :	Yes 📑		Fecha de determinación: 06/0 dd/mm/sesa	6/1999

						į.
	ALAT/SGOT Elevada:	No				
	ASAT/SGPT Elevada:	No	•			
	GGT Elevada:	No	•			
\$	FA Elevada:	No	1			ļ
	DATOS CUESTION	ario et g	EORGE			
	Puntuación total SGRQ:					
	HISTORIA LABOR	AL.				
	Trabaja actualmente:	No		SI NO, especifique Other el motivo:	1	
	Muestra de plasma?	Yes				
·	Mucetra de sangre total?	Yes				
	FECHA FINAL					
	Fecha de fallecimiento :		dd/mm/aasa			-
	Couso de muerte :	•				1
	Otra causa, espec	officer:				
	Se realizó autopsia:	•.				
			Modificar Paciente	Cancelar		
			,			,
			*	•	-	
					•	ļ
						ļ
				•		-
						1
						

11:42 BURNS DOANE

Patient Nº: 205

PATIENT'S INITIALS: EAF

Country code: E

Inclusion date: 04/02/2002

DEMOGRAPHICS

Date of birth:

12/06/1951 dd/mnVyyyy

Sex: Female

Height 148 Height units

.

Weight (kg): 58 kilos

SMOKING HABITS

Have you ever smoked?

No

Age started:

years old

Have you given up smoking?

Age stopped:

years old

Average daily consumption of cigarettes:

Average daily consumption of cigars:

Pipe - g/week:

REASON FOR DETERMINING AAT

Reason for determining AAT

Family screening

Phonotype:

Z

Other deficient phenotype:

Date of diagnosis of AAT deficit:

15/01/1994

dd/mm/yyyy

CLINICAL HISTORY

Lung discase

Yes

Chronic bronchitis

No

Emphysema

Yes

Asthma

Ycs

Bronchicctasis

Yes

Other lung disease

No

Specify

Years old

Age respiratory symptoms started

40

Months

Principal symptom

Dyspaces on exertion

	Other diagnosis Diagnosis 1: rheumatic fibro 1CD code	No myalgia					
	Diagnosis I	See Code Table	ICD version				
	Diagnosis 2 ICD Code Diagnosis 3	See Code Table	ICD version				
	Diagnosis 2 Diagnosis 3	550 0000 141.7					
	ICD Code Diagnosis 3	See Code Table	ICD version				
	Lung transplant		Date of lung transplant:	dd/mm/	עיכיל		
	Reduction in lung volume		Date of reduction of lung volume:	φα/ιππν	/yyyy		
	Liver transplant:		Date of liver transplant:				
	•	,		dd/mm	<i>l</i> yyyy		
	Have you suffered from pneumonia?			•			
	If so, how many times?		Unknown number				
	TC data						
	Thorax TC:	No	Date of Thorax TC:	12/05/19 dd/mm/y			
	CURRENT TREATMENT	r	•				
	Medication for lung disease	Yes	Home oxygen therapy:	Νo			
	ALTERNATIVE TREAT	MENT Yes	Start date:	10/07/19	995		
	alternative treatment		•	dd/mm/y			
	Did you stop treatment?	No	Interruption date	dd/mm/y	יניניני		
	PULMONARY FUNCTIO	NING	,				
	tests available	10/07/1994	dd/mm/yyyy				
	FEV1 pre-bronchodilator 2 (L):	litres	FEV1 post-bronchodilator (L)	2 litres		
	FVC pre-bronchodilator 2.36 (L):	litres	FVC post-bronchodilator (L	-)	2.36 litros		
	Slow VC pre-bronchodilator 2.37 (L):	litres	Slow VC post-bronchodilate	or (L)	2.37 litres	•	
	Date of most recent tests 10/12/2	001 dd/mm/yyyy					
	PEVI pre-bronchodilator 1.9 (L):	litres	FEVI post-bronchodilator ((L)	1.9 Iîtres		
,	I ^P VC pre-bronchodilator 2 (L):	li(res	PVC post-bronchodilator (L	-)	2 litres		
	Slaw VC pre-bronchodilator 2 (L):	litres	Slow VC post-bronchodilate	or (L)	2 litres		
	KCO (%):	%	•				
	HEPATIC ENZYMES						
	Hepatic enzymes: Yes		Date of determination: 06/0	6/1999			

P.33 703 836 0802

High

ALAT/SGOT No

High

ASAT/SGPT No

High GGT

No

High FA

Νø

ST GEORGE QUESTIONNAIRE DATA

Total score SGRQ:

WORK HISTORY

До уоц

currently work:

No

If not, specify

the reason

Other

Plasma sample Yes

Total blood sample Yes

END DATE

Date of death:


dd/min/yyyy

Cause of death:

Other cause, specify:

Was an autopsy carried out:

ATTACHMENT E



TROS DIAGNÓST	icos Yes			
	fibromlalgia re	umática		
ICD côdigo diagnóstico 1:		<u>Ver Table de códioos</u>	tCD versión:	
Diagnóstico 2:				
ICO código diagnóstico 2:		Ver Tabla de códigos	ICD versión:	
Diagnóstico 3:				
ICD código dlagnóstico 3:		Ver Tabia de códigos	ICD versión:	:
Trasplante de pulmón:	No 🦸		Feche del trasplante de pulmón:	sses/mm/bb
Reducción de volumen pulmonar:	No 4		Fecha de reducción de volumen pulmonar:	dd/mm/aaaa
Trasplante de higado:	No '		Fecha del trasplante de higado:	dd/mm/aaaa
Ha sufrido neumonías?	No .	`		
En caso ofirmativo, ¿Cuántos veces7:			Número desconocido	:
DATOS TC				44/04/4004
TC del tórax :	Yes ·		Fecha del TC de tórax:	14/01/1994 dd/mm/aaaa
TRATAMIENTO A	CTUAL			
Medicación para la enfermedad pulmonar:	Yes :		Oxigenoterapia domisiliaria:	No -
TRATAMIENTO S	OVETUTITZU			
Alguna vez ha recibido tratamiento sustitutivo?	Yes '.		Fecha de miclo :	13/12/1992 dd/mm/abbb
Dejó el tratamiento?	No 😲		Fecha de Interrupción:	8886\mm\bb
FUNCIONALISMO	PULMONAR			
Fecha de làs primeras pruebas disponibles:	19/06/1986	dd/mm/aaaa		
FEV1 pre- bronçodilatador (L):	1,3	litros	FEV1 post-broncodilatador (L):	1,4 litros
FVC pre- broncodilatedor (L):	2,2	licros	FVC post-broncodilatedor (L):	2,3 litros
VC lenta pre- broncodilatador (L):	2,2	litros	VC lents post-broncodilstador (L):	2,3 litros
fecha de las pruebas más recientes	14/12/2001	dd/mm/aaaB		
FEV1 pre- broncodilatador (L):	1,7		FEV1 post-broncodilatedor :	1,9 Itros
FVC pre- broncodiletedor (L):	2,3		FVC post-broncodilatedor :	2,3 litros
VC lents pre- broncodile todor (L):	2,3	litros	VC lenta post-broncodilatador :	2,3 Utros
KCO (%):	·	%		
enzimas hepā	TICAS			
Enzimos	Yes		Fecha de determinación: 01/01	/1999

				•		
ALAT/SGDT Elevada:	No					
ASAT/SGPT Elevada:	No	,				
GGT Elevada:	No	-				
FA Elevada:	No	- •				
DATOS CUESTION	ARIO ST	GEORGE				
Puntuación total SGRQ:						
HISTORIA LABOR	AL				•	
Trabaja actualmente:	Yes		Si NC espec el mo	ifique	į	
Muestra de plasma?	Yes	•				
Muestra de sangré total?	Yes	• •				
FECHA FINAL						•
Feche de fallecimiento :			dd/mm/abab			
Causa de muerte :		•		•		
Otra causă, espe	cificar:					
Se realizó		•				
autopsia:			lodificar Paciente	Cancelar		
			•			
				•		

P.38 703 836 0802

Patient Nº: 206

PATIENT'S INITIALS: RAF

Country code: E

Inclusion date: 04/02/2002

DEMOGRAPHICS

Date of birth:

Sex: Female

12/04/1947 dd/mm/yyyy

Height units

No

Height 149

Weight (kg):

SMOKING HABITS

Have you ever smoked?

Age started:

years old

Have you given up smoking?

Age stopped:

years old

Average daily consumption of cigarettes:

Average daily consumption of cigars:

Pipe - g/week:

REASON FOR DETERMINING AAT

Reason for determining AAT

Family screening

Phenotype:

Z

Other deficient phenotype:

Date of diagnosis of AAT deficit:

18/07/1984

dd/mm/yyyy

CLINICAL HISTORY

Lung discase

Ycs

Chronic bronchitis

Ycs.

Emphysema

Ycs

Asthma

Yes

Bronchicetasis

Yes

Other lung disease

Principal symptom

No

Specify

Years old

35

Months

Age respiratory symptoms started

Attacks of dyspnoca

Other diagnosis Diagnosis 1: rheumatic libr	Yes omyalgia				
ICD code Diagnosis I		See Code Table	ICD version		
Diagnosis 2 ICD Code Diagnosis 2		See Code Table	ICD version		
Diagnosis 3 ICD Code		See Code Table	ICD version		
Diagnosis 3		200 Code Table	,		
Lung transplant			Date of lung transplant:	dd/mst	Јууу у
Reduction in lung volume			Date of reduction of lung volume:	₫₫/iaπ	<i>У</i> уууу
Liver transplant:			Date of liver transplant:	dd/mm	√yyyy
Have you suffered from pneumonia?					,,,,
If so, how many times?			Unknown number		
TC data			·		
Thorax TC:	Ycs		Date of Thorax TC:	14/01/19 dd/mm/j	
CURRENT TREATMEN Medication for				·	
lung disease	Yes		Home oxygen therapy;	No	
ALTERNATIVE TREAT Have you received an alternative treatment	MENT Yes		Start date:	10/07/19 dd/mm/j	
Did you stop treatment?	Νo		Interruption date	dd/mm/	• •
PULMONARY FUNCTIO	NING				777
Date of first tests available	19/06/19	86	dd/mm/yyyy		
FEVI					
pre-bronchodilator 1.3 (L):	litres		FEV1 post-bronchodilator (L)	1.4 titres
FVC pre-bronchodilator 2.2 (L):	litres		FVC post-bronchodilator (L		2.3 litres
Slow VC pro-bronchodilator 2.2 (L):	litres		Slow VC post-bronchodilate	or (L)	2.3 litres
Date of most recent tests 14/12/20	100	dd/mm/уууу			
FEVI pre-bronchodilmor 1.7 (L):	litres		FEV1 post-bronchodilmor (I	L)	1.9 litr ės
FVC pre-bronchodilator 2.3 (L):	litres		FVC post-bronchodilator (L))	2.3 H(res
Slow VC pre-bronchodilator 2.3 (L):	litres		Slow VC post-bronchodilate	or (L)	2.3 litres
KCO (%):	%				٠
HEPATIC ENZYMES		•			
Hepatic enzymes: Yes			Date of determination: 01/01	/1999	
			dd/mm/yyyy		

703 836 0802

P.40

JUL-11-2007 11:44

High

ALAT/SGOT No

High

ASAT/SGPT No

High GGT Νo

High FA

No

ST GEORGE QUESTIONNAIRE DATA

Total score SGRQ:

WORK HISTORY

currently work:

Do you

Yes

Yes

Plasma sample

Total blood sample Yes

END DATE

Date of death:

dd/mm/yyyy

BURNS DOANE

Cause of death:

Other cause, specify:

Was an autopsy carried out:

If not, specify the reason

ATTACHMENT F

Eur Respir J 2007; 29:582-586 Copyright ©ERS Journals Ltd 2007

Ongoing research in Europe: Alpha One International Registry (AIR) objectives and development

R. A. Stockley¹, M. Luisetti², M. Miravitlles³, E. Piitulainen⁴, P. Fernandez⁵ on behalf of the Alpha One International Registry (AIR) group

¹ Dept of Medicine, Queen Elizabeth Hospital, Edgbaston, Birmingham, and ⁶ Pharmanet, Buckingham Court, Kingsmead Business Park, High Wycombe, UK. ² Clinica Malattie Apparto Respiratorio, IRCCS Policlinico San Mateo, Università di Pavia, Pavia, Italy. ³ Servel de Pneumologia, Institut Clínic del Tòrax (IDIBAPS), Hospital Clinic, Barcelona, Spain. ⁴ Dept of Respiratory Medicine, University Hospital, Malmõ, Sweden.

CORRESPONDENCE: R. A. Stockley, Dept of Medicine, University Hospital Birmingham, Edgbaston, Birmingham, B15 2TH, UK. Fax: 44 1216978257. E-mail: r.a.stockley@bham.ac.uk Keywords: Augmentation therapy, chronic obstructive pulmonary disease, emphysema, epidemiology, prevalence, registries

Received: April 19, 2006 Accepted October 22, 2006

-TOP
-ABSTRACT
-METHOD
-RESULTS
-DISCUSSION
-APPENDIX: ALPHA ONE...
-REFERENCES

ABSTRACT

In 1997, the World Health Organization recommended establishing an international registry of α_1 -antitrypsin deficiency. The objective of the present article is to describe the organisation of an international network of registries, the Alpha One International Registry (AIR), and the processes of enrolling and entering data.

By the end of 2005, the registry included individuals from 21 countries (from four continents). The inclusion criterion was either phenotypes PiZZ, PiSZ or other

severely deficient variants. Demographic and clinical information have been collected by a standardised questionnaire, translated for each country. Data are transferred to the AIR database at the Dept of Respiratory Medicine, University Hospital, Malmö, Sweden, either by e-mail or *via* two web-enabled questionnaires in HTML. All data are merged and checked for consistency and missing values.


Collection of data started in 1999 and, by September 2005, data on 2,150 individual patients (1,180 male) had been submitted. Of these, 1,855 (84%) have phenotype PiZ, 181 (8%) PiSZ and 114 (5%) other rare Pi phenotypes. The mean age at inclusion was 49.8 yrs ($s_D = 13.3$) and the majority were index cases (64.1%).

The Alpha One International Registry is the largest specific \$\alpha_1\$-antitrypsin deficiency registry, fulfilling a major World Health Organization recommendation. The success related to the convergence of national registries into a common database creating a unique registry beyond geographic boundaries and encompassing \$\alpha_1\$-antitrypsin deficiency from various ethnic groups.

Although often regarded as a rare disorder, #1-antitrypsin deficiency (#1-ATD) is the most common of inherited deficiency states in the Western hemisphere, an apparent contradiction explained by widespread underdiagnosis. The condition was first identified in 1963 and is known to predispose to severe panlobular emphysema, cirrhosis, liver carcinoma and, less commonly, vasculitis and panniculitis 1. The present understanding of its genetic basis and the availability of simple screening and diagnostic tests offer a largely neglected opportunity to identify those with the deficiency who have developed severe pulmonary or hepatic disease. However, they also permit identification of deficient and undetected family members prior to the onset of disease, at a time when preventive measures can be most effective.

The major handicap to understanding and designing interventions is the relative infrequency (one in 1,600 to one in 2,000 in Europe) of the disorder, which has precluded the recruitment and study of sufficient patients for meaningful, adequately powered studies 2. In 1997, the World Health Organization (WHO) published state-of-the-art documentation 3 following a meeting of experts, and

identified questions that remained to be answered. A key recommendation was the establishment of national and international registries to enable data collection, collaborative research and, most specifically, a patient resource for the design and conduct of suitably powered clinical trials. This latter process required the novel design of collection methods for centralisation of data and an unprecedented international collaboration. The Alpha One International Registry (AIR) was initiated to comply with the WHO recommendation to establish an international registry of an-ATD, characterised in as standardised a way as possible by employing a common database. The main objectives of the registry were as follows: 1) to establish an international database of patients and their demographic details; 2) to promote basic and clinical research into an-ATD and to coordinate the activity; 3) to collect, assess and disseminate information concerning all aspects of an-ATD; and 4) to encourage support and awareness of an-ATD. The present article describes the methods and format of this unique database.



METHOD

Organisation of the registry

AIR was founded in 1997 and included an initial group of European countries (the UK, Germany, Denmark, Sweden, the Netherlands, Italy, Spain and Switzerland), along with New Zealand, South Africa, Canada and a part of the USA. Other countries have since joined, Including Denmark, Austria, Belgium, Australia, Poland, Finland, Latvia, Lithuania, Argentina and Brazil. By 2005, the registry included 21 countries from four continents.

The constituent parts of the registry are the general members, the council and the coordinating committee. Each national registry is represented on the council by one national delegate. This national delegate ensures the liaison between the national registry and AIR. The coordinating committee directs and conducts the general activities of AIR, and comprises a chairman, secretary, treasurer and two other members, all elected by the council.

AIR organises at least two annual administrative meetings, as well as a scientific meeting every 2 yrs to provide an update on research progress related to α_1 -ATD 4.

Collection of data

All data in the registry are collected according to national and international rules of confidentiality of personal data and following approval by the corresponding Independent Review Boards. Confidentiality of the data is assured by coding the included patients with an identification number consisting of a six-digit field (four digits for the national registry number and two corresponding to each national telephone code).

The sole inclusion criterion for the registry is the presence of phenotype PiZZ, PiSZ or other severely deficient variants (serum an-antitrypsin (an-AT) concentrations <11 µM). From the beginning of the registry until 2005, only individuals aged >18 yrs were included, although from 2005 this age limit has been rescinded.

The questionnaire (available from the present authors by request) consists of standard demographic information (including age and sex), current and previous smoking history to calculate pack-yrs, a pulmonary history with the main symptoms, respiratory medication, the an-AT phenotype, reasons for an-ATD assessment, information on augmentation therapy, lung function (including preand post-bronchodilator spirometry, lung volumes and carbon monoxide gas transfer) and liver function tests (reglutamyl transferase, alanine transferase and aspartate transferase), comorbidities, whether the patient has undergone lung and/or liver transplantation and specific health-related quality of life measured by the St. George's Respiratory Questionnaire, social status and other diagnoses classified by the International Classification of Diseases code. The patients are followed up annually and information is collected to document

changes in characteristics of the disease, treatment, smoking habits and lung and liver function. The original English-language version of the questionnaire has been translated and adapted into the appropriate language for each country.

Transmission and validation of data

The database and data manager are located at the Dept of Respiratory Medicine, University Hospital, Malmö, Sweden. Data from the national registries are transferred periodically to the AIR database. Initially, the questionnaire was incorporated in a Microsoft Access sheet and each national delegate collected their own data and submitted it to the data manager by encrypted e-mail or by delivery of electronic media. All data were downloaded into a unique database and were checked by the national coordinator for consistency. The database manager then reviewed the data submitted and checked with the national coordinator if data was missing or calculated lung function appeared at variance. At the present time, data from Germany, Italy, Sweden and Canada are still periodically transferred to the central database using this process. Each national coordinator is able to review their own entries. An update of the data from all countries is presented at each AIR meeting and searched to answer specific queries raised by the council. The database cannot be accessed by a third party.

As early as 1999 it was recognised that some countries would experience great difficulty in centralising the collection of data in a single centre. Spain developed a web-enabled questionnaire in HTML, which was the interface for a database in Oracle, hosted at the web page of the National Society of Chest Physicians (SEPAR). By using a username and a password every physician in the country caring for an at-ATD individual was able to access the web page and complete the questionnaire online. The national delegate has a special user access and can check the quality of data whilst preserving the confidentiality. The Oracle database is adapted to the format text delimited as requested by the central data manager and submitted (encrypted) twice a year from 2001, to the central database in Malmö. The same web-enabled questionnaire in Spanish has been used from 2003 by the Argentinean registry, and the Portuguese translation has been used by the Brazilian registry from 2005.

Another web-enabled database was developed in the Netherlands in 2000, and is available in the UK, Switzerland, the USA, New Zealand, Australia, South Africa, Austria, Belgium and Poland. Data collected in these countries are submitted to the Netherlands and then periodically to the central database in Sweden.


All data downloaded to the central database are merged in a single database and checked for consistency and missing values by the data manager. Queries are sent to the national representatives for completion and resolution.

▲TOP ABSTRACT METHOD RESULTS DISCUSSION APPENDIX: ALPHA ONE,, REPERENCES

RESULTS

The number of patients for whom data has been submitted to the central database is shown in figure 1+. Collection of data began in 1999 and by September 2005, data from 2,150 %1-AT-deficient individuals (1,180 male, 968 female) had been submitted (in two subjects the sex was not reported). Of these subjects, 1,855 (84%) have phenotype PiZ, 181 (8%) phenotype PiSZ, and 114 (5%) have other rare Pi phenotypes with severe %1-ATD. A total of 45 (2%) subjects have been excluded at present, as the Pi phenotype has yet to be reported, and 16 subjects have been excluded because of an inappropriate Pi phenotype (PIMZ, PiSS, etc.). Table 1+ shows the number of subjects by country and the year when each country included its first patient (updated March 2006). The mean age of the subjects was 49.8 yrs (range 0–100 yrs; so 13.3 yrs) at inclusion, although the age has yet to be submitted for 17 of the patients. The initial reasons for the %1-AT analyses are shown in table 2+. Table 3+ compares the characteristics of patients in the AIR with those of patients in two large North-American databases: the National Heart, Lung, and Blood Institute (NHLBI)

Registry and the Alpha One Foundation Research Network Registry (AOF-RNR).



527 m-antitrypsin (A.V) celicient individuale 283 PIZZ 7018 P.SZ, and 124 whec rate raza T ceficient phenolypus) were included in the

View larger version (14K): [in this window] [in a new window]

View this table: [in this window] [in a new window]

Table 1 The number of patients included in the Alpha One International Registry by country, last updated March 2006.

[in a new window]

View this table: Table 2—The initial reasons form and mypsis analysis [in this window]
in a new window]

table: in this window] fin a new window]

View this Table 3—Characteristics of a amtryosin deficiency (a; ATD) subjects included in the Alpha One Infernational Resistive (AIR), the National Heart, Ling and Blood primite (NHLED registry and the Alpha One Foundation Research Network Registry (AOF RAIR)

▲TOP

ABSTRACT

METHOD

RESULTS
DISCUSSION

APPENDIX: ALPHA ONE...

REFERENCES

DISCUSSION

In the present paper, the successful implementation of a major recommendation made by the 1996 WHO workshop on a1-ATD is described 3. Registries of individuals fulfilling careful diagnostic and assessment criteria, and enrolled on a national basis under the supervision of an expert database manager make available populations in whom understanding of this rare disease (i.e. disorders, such as m-AT, characterised by a prevalence of <5 out of 10,000 subjects) can be furthered. The success of AIR has been the convergence of national registries into a common database combining agreed information, thus creating a unique registry beyond geographical boundaries and encompassing on-ATD from varying ethnic groups. This is of particular relevance, since it has recently been shown that 21-ATD is not confined to Northern European populations and their descendants alone but is a disorder with a worldwide distribution 5, 6. The development of a shared questionnaire, the adoption of a minimum requirement to ensure a quality control, and the electronic transfer of data, either by encrypted e-mail shipment of Access sheets or by a secure web-enabled database, greatly contributed to the success of AIR data validation, dissemination and rapid growth.

With 2,627 subjects enrolled (last updated March 2006; fig. 1+), AIR is the largest and most comprehensive registry for a1-ATD (PiZ phenotype). Two other large registries for a1-ATD exist; both are located in North America. The NHLBI Registry for individuals with severe a1-ATD completed recruitment in 1996 and included 1,129 subjects, with the main goal of characterising the natural history of a1-ATD, and with the rate of lung function decline and survival as major aims 7. The AOF-RNR is a separate registry; participating subjects have expressed a willingness to be approached for participation in studies, including randomised clinical trials 8. A board of physicians/investigators and patient advocates ensures data quality control; by 2001, the AOF-RNR included 1,204 individuals, although the phenotype is self-reported and hence contains unconfirmed PiZ patients. Besides differences concerning structure and enrolment mechanisms,

a major, intuitive difference between AIR and the two Northern American en-ATD registries is geography. AIR enrolees are mostly Europeans (1.745; 81% of the total included). Taking into account that 204 en-ATD subjects in the AIR are from the USA and Canada (and therefore they might be also present in both NHLBI and AOF registries), AIR includes a cohort of ≥90% at-ATD subjects that differs from that of the two Northern American registries. However, comparing some characteristics of the at-ATD series in AIR (current results) with the published ones in the NHLBI series 7 and in the AOF registry 8, there is a general concordance of basic characteristic data (table 3+). The disorder is usually diagnosed within the fifth decade of life and there is a slight preponderance of male subjects. The rate of ascertainment for family screening (more recently referred to as predispositional testing) 9 is similar between AIR and the NHLBI registry (19.2 and 19.8%, respectively). The main difference between the two registries is the distribution of an-ATD phenotypes. AIR included a lower percentage of PI*Z subjects than the NHLBI registry (86.2 versus 97.3%, respectively). Furthermore, the PI*SZ and rare genotypes are eight- and three-fold higher in AIR, respectively. This might reflect the different epidemiology of S and rare at-ATD variants in the European countries 2, 5, 6, 10, 11 or different inclusion criteria. Comparison with the AOF-RNR is, however, uncertain with reference to phenotype, since the AOF-RNR registry includes mainly self-reported deficiency patients and includes intermediate (PI*MZ) and undetermined phenotypes, whereas those in AIR are confirmed. Finally, the smoking habit is similar among all three registries, although the lower rate of active smoking in the AOF-RNR may reflect the higher rate of awareness about smoking cessation in the self-reported patients. Detailed analysis of these and other characteristics of the 41-ATD subjects in AIR will be the subject of future publications.

There are some features of the AIR development that exceed those of a simple registry for a rare disease. First, AIR has facilitated collaboration between clinicians from 21 different countries in four continents, 18 of which have already entered patients to the registry (table 1+). Existing national registries for w1-ATD, such as those in Sweden, the UK, Spain 12 and the Netherlands, joined other registries, such as that in Italy, that were established to join the AIR on its

formation. More recently, registries have joined as they have been formed in response to the AIR. Thus, AIR has played a central role in raising awareness of 151-ATD in countries with medium-to-low prevalence of the disorder. Secondly, AIR and its scientific initiatives, such as the international conferences 4, have not only gathered clinicians concerned with an-ATD but have also encouraged a number of scientists, including geneticists, epidemiologists, biochemists and pathologists, as well as representatives of patient support groups, public health and pharmaceutical companies, to collaborate with a common goal. It is clear that such synergy is critical for significant advances in and a better understanding of «1-ATD, its pathogenesis, its current management and the development of novel therapeutic strategies, with a patient database needed to successfully deliver clinical trials (in this uncommon condition). In this respect, two such trials are currently underway: EXACTLIE (Exacerbations and Computer Tomography in Laurell's syndrome as Investigative Endpoints), which is a 2-yr, placebo-controlled intravenous augmentation study and REPAIR (Retinoids for Emphysema Patients and Alpha-1-antitrypsin International Registry), a 12-month trial of a retinoic acid receptor-7 agonist. In addition, the consortium has been successful in obtaining two European Union grants (AIR genetics and SPREAD (grant number RNDV07773). Finally, data gathered via AIR and, in particular, in the UK and Canadian registries has led to a new study confirming a beneficial effect of augmentation therapy for emphysema arising from 21-ATD and to a meta-analysis of this and published studies of an-ATD 13, 14.

In conclusion, a major international collaboration is described herein that has provided a common database to advance in understanding and treatment of an antitrypsin deficiency.

ARPENDIX (ALPHA ONE INTERNATIONAL)

REGISTRY (AIR) EROUR (A.S.)

<u>™TOP</u> ∴ABSTRACT

<u>▲METHOD</u> ▲RESULTS

<u> ~discussion</u>

REFERENCES

APPENDIX: ALPHA ONE...

Structure of AIR

AIR Chairman: J. Stolk (the Netherlands).

Past chairmen: N. Konietzko (Germany) and R.A.

Stockley (UK).

Council: M. Luisetti (Italy), M. Miravitlles (Spain), E.

Plitulainen (Sweden), P. Fernandez (UK), K.R. Chapman (Canada), A. Dirksen (Denmark), J. Houtsebaut (Belgium), J. Jardim (Brazil), G. Menga (Argentina), C. Vogelmeier (Germany), J. Zielinski (Poland), G. Alnslie (South Africa), E.W. Russi (Switzerland), E. Campbell (USA), M. Epton (New Zealand), K. Schmid (Austria), A. Krams (Latvia), M. Zolubas (Lithuania), S. Saarelainen (Finland) and J. Burdon (Australia).



REFERENCES

- Stockley RA. a₁-Antitrypsin: more than just deficiency. Thorax 2004;59:363-364. [Free Full Text]
- Blanco I, de Serres FJ, Fernández-Bustillo E, Lara B, Miravitlles M. Estimates
 of the prevalence of an-antitrypsin deficiency PI*S and PI*Z alleles and the
 numbers at risk in Europe countries. Eur Respir J 2006;27:7784. [Abstract/Free Full Text]
- World Health Organization. Memoranda. 41-Antitrypsin deficiency: memorandum from a WHO meeting. Bull WHO 1997;75:397-415. [ISI] [Medline] [Order article via Infotrieve]
- Luisetti M, Miravitlles M, Stockley RA. a-Antitrypsin deficiency: a report from the 2nd meeting of the Alpha One International Registry, Rapallo (Genoa, Italy), 2001. Eur Respir J 2002;20:1050-1056. [Abstract/Pree Full Text]

- 5. de Serres FJ. Worldwide racial and ethnic distribution of σ_1 -antitrypsin deficiency. Summary of an analysis of published genetic epidemiology surveys. Chest 2002;122:1818–1829.[Abstract/Free Full Text]
- 6. Luisetti M, Seersholm N. z₁-antitrypsin deficiency. 1: Epidemiology of a₁-antitrypsin deficiency. Thorax 2004;59:164-169 [Abstract/Free Full Text]
- McElvaney NG, Stoller JK, Buist SA, et al. Baseline characteristics of enrolees in the National Heart, Lung and Blood Institute Registry of α1-antitrypsin deficiency. Chest 1997;111:394-403. [Abstract/Free Full Text]
- Stoller JK, Brantly M, Fleming LB, Bean JA, Walsh J. Formation and current results of a patient-organized registry for m₁-antitrypsin deficiency. Chest 2000;118:843-848. [Abstract/Free Full Text]
- American Thoracic Society/European Respiratory Society. American Thoracic Society/European Respiratory Society Statement: standards for the diagnosis and management of individuals with alpha-1 antitrypsin deficiency. Am J Respir Crit Care Med 2003;168:818-900. [Free Full Text]
- Ferrarotti I, Baccheschi J, Zorzetto M, et al. Prevalence and phenotype of subjects carrying rare variants in the Italian registry for alpha₁-antitrypsin deficiency. J Med Genet 2005;42:282-287 [Free Full Text]
- 11. De Serres FJ, Blanco I, Fernandez-Bustillo E. Genetic epidemiology of alpha-1 antitrypsin deficiency in southern Europe: France, Italy, Portugal and Spain. Clin Genet 2003;63:490-509.[CrossRef][ISI][Medline] [Order article via Infotrieve]
- 12. Miravitles M, Vidal R, Barros-Tizón JC, et al. Usefulness of a national registry of alpha-1-antitrypsin deficiency. The Spanish experience. Respir Med. 1998;92:1181-1187. [CrossRef][ISI][Medline] [Order article via Infotrieve]
- 13. Chapman KR, Bradi AC, Paterson D, Navickis RJ, Wilkes MM. Slower lung function decline during augmentation therapy in patients with apha1-antitrypsin deficiency (A1ATD): results from the Canadian AIR registry. Proc Am Thorac Soc 2005;2:A808
- Chapman KR, Stockley RA, Wilkes MM, Navickis RJ. The value of augmentation therapy for eq-antitrypsin deficiency: a meta-analysis. Respir Care 2005;50:1550